Ricoh Aficio MP 161/MP 161F/MP 161SPF

Digital Imaging Systems Impressive Capabilities, Compact Size.





Ricoh Aficio MP 161/MP 161F/MP 161SPF

1 1 81/2×11

2 1 84/2

UPER G3

The all-in-one system with the compact design. The RICOH® Aficio® MP 161 Series bundles big-system capabilities into a small-footprint that can be the single answer to your document needs: B&W copying, printing and faxing, full-color scanning and advanced digital distribution.

CompactAffordableFlexible

Compact flexibility

Today you need the ability to communicate your ideas and manage your documents almost instantly in many different ways. The Ricoh Aficio MP 161 Series expands your capabilities, allowing you to handle virtually any document management task quickly and easily.

- Copy, scan and fax large documents such as booklets, brochures and oversized pages with the legal-size platen.
- Scan your original documents just once, then go back to work while the Ricoh Aficio MP 161 Series produces all the copies you need.

Compact productivity

Getting more done in less time at a lower cost is one of the basic promises of the Ricoh Aficio MP 161 Series.

- 16 pages-per-minute output gives you the speed you need to finish your projects on time without waiting.
- Ricoh's Refined Print Command Stream (RPCS) print driver allows you to create fast, one-click print functionality for even the most complex print jobs.
- PDF Direct Print helps eliminate network congestion by quickly printing PDFs without opening the application.

Impressive cost savings

The Ricoh Aficio MP 161 Series is not only a valuable addition to your office or workgroup, but also a good investment that can help you minimize document costs.

- Eliminate the need to purchase and maintain up to four separate office devices and their supplies.
- Significantly reduce your paper usage, postage and hardcopy storage costs by being able to print both sides of your documents automatically.
- Reduce hard copy collation costs by automatically sorting copies.
- Produce copies, prints and faxes at a low copier cost/page.

Compact scanning power

Color scanning gives you the power to immediately scan and send brochures, business cards, photos or other important documents, maximizing the impact of your communications.

- Distribute scanned documents—in full color—directly to e-mail addresses through embedded Scan-to-Email, or to network folders via Scan-to-Folder, meeting tight deadlines faster and eliminating overnight delivery charges.
- LDAP support allows you to save time and prevent misdials by calling up fax numbers and e-mail addresses directly from your corporate address book.
- Protect your critical scanned documents with security features such as encrypted PDF transmission. Additional security, including User Authentication, ensures overall document protection by verifying the user's identity before allowing system access.



Quickly scan your existing color brochures, photos and other documents up to 8 1/2" x 14" and send them instantly with Scan-to-Email or Scan-to-Folder.



Automatic duplexing can literally cut your paper costs in half by allowing you to copy or print on both sides of a sheet of paper.



Legal-size platen expands your capabilities to copy, scan or fax large documents up to 8 $1/2" \times 14"$.

CopyPrintScanFax

Compact faxing power

In most offices today, documents exist in both hardcopy and digital form. That's why you need the faxing power of the Ricoh Aficio MP 161 Series, which can handle incoming and outgoing documents of all types.

- Cut phone costs with Super G3 Faxing—you can send documents in as little as two seconds per page.
- Fax bound originals without having to create single-sided documents first, thanks to the platen-based design that allows you to scan and fax directly from the original.
- Protect your inbound/outbound faxes during power outages for up to 12 hours.
- Maximize your communications with advanced fax features such as LAN Fax, Internet Fax and IP Fax, which utilize the power of the Internet and your networks while lowering your costs.
- Improve document security and convenience by routing inbound faxes directly to designated e-mail addresses or network folders.

Compact connectivity

Whether your office or workgroup is comprised of stand-alone or networked PCs, the Ricoh Aficio MP 161 Series includes all you need to connect.

- Connect directly to a stand-alone PC or to your network with either standard 10Base-T/100Base-TX Ethernet or USB 2.0 interfaces.
- Connect quickly to non-networked PCs using the optional IEEE 1284 parallel interface.
- Optimize placement flexibility and eliminate unsightly cables with either IEEE 802.11b Wireless LAN or Bluetooth™ connectivity options.
- Simplify printing with PCL5e/6 and optional Adobe[®] PostScript[®] 3[™].

Compact device management

The Ricoh Aficio MP 161 Series allows you to manage almost every aspect of your document workflow right from your desktop.

- Conveniently access or change a single system's settings or view print job status from your desktop using Web Image Monitor.
- Manage all of your Ricoh networked resources with Web SmartDeviceMonitor.
- Send meter data automatically with the Ricoh @Remote, Intelligent Management System.



Your Environmental Partner



Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:

- Quick Start-Up (QSU) Technology
- Power-saving Sleep Mode
- Duplex and Combine Copy Modes
- Toner Recycling
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances Compliant (RoHS)

Expanded capabilities for easy document management.



Functionality Overview



Ricoh Aficio MP 161

- Copying
- Printing (optional)
- Scanning (optional)



Ricoh Aficio MP 161F • Copying • Super G3 Faxing



Ricoh Aficio MP 161SPF• Copying• Internet Faxing• Printing• LAN Faxing• Scanning• IP Faxing

• Super G3 Faxing

Ricoh Aficio MP 161/MP 161F/MP 161SPF Aficio

System Specifications

Engine/Copier Specifications

Configuration Scanning Element Printing Process Toner System Memory

(std./max.)

Document Feeder Copy Resolution Grayscale **Exposure Adjustment Quantity Indicator Original Type Maximum Original Size** Copy Size Сору Туре

Warm-Up Time

First Copy Speed Continuous Copying Speed Recovery Time (from Auto Off) Power Source Dimensions (WxDxH) Weiaht

Standard Paper Capacity

Optional Paper Capacity Paper Size

Paper Weight

Reduction Ratios Enlargement Ratios Zoom Standard Features

Console Flatbed with CCD Array Image Sensor Laser Beam Scanning/Marking & Electrophotographic Printing Dry, Dual Component 16 MB/384 MB (MP 161) 128 MB/128 MB (MP 161F) 384 MB/384 MB (MP 161SPF) Standard 50-sheet ARDF 600 x 600 dpi 256 levels Manual & Automatic Up to 99 Sheet Up to 8.5" x 14" Up to 8.5" x 14" Plain Paper, Envelopes, Transparencies (through Bypass Tray) Less than 10 seconds (MP 161) Less than 30 seconds (MP 161F/ MP 161SPF) 7.5 seconds or less 16 cpm – Simplex 9 cpm – Simplex to Duplex Less than 10 seconds 120 V/60 Hz 19.09" x 17.72" x 19.33" 59 53 lbs (MP 161) 63.93 lbs. (MP 161F/MP 161SPF) 250 sheets x 1 Tray and 100-sheet Multi Bypass Tray 500 sheets x 1 Tray 5.5" x 8.5" to 8.5" x 11" (Standard Trav) 5.5" x 8.5" to 8.5" x 14" (Bypass Tray) 8.5" x 11" to 8.5" x 14" (Duplex Unit) 16 to 24 lb. Bond (Standard Tray) 16 to 42 lb. Bond (Bypass Tray) 20 to 24 lb Bond (Duplex Unit) 65%, 78%, 93% 129%, 155% 50% to 200% in 1% increments Auto Start, Combine Copy, Duplex Copying, Electronic Sort,

Photo Mode, Series Copy (2 sided > 1 sided)

Scanner Specifications

scamer specifications	
Scanning Speed	Embedded Scan-to-Email:
	22 ipm @ 200 dpi B/W
	9 ipm @ 200 dpi Color
Scanning Resolution	600 dpi
Grayscale	256 levels
Scan Area	8.5"/216 mm (Main)
	14.02 "/356 mm (Sub)
Scan Mode	Black & White: Text, Text/Line Art,
	Text/Photo, Photo, Grayscale
	Color: Full-color, Text/Photo,
	Glossy Photo
Standard Interfaces	10Base-T/100Base-TX
Optional Interfaces	IEEE 802.11b
Protocol	TCP/IP (Network)
	SMTP, POP3 (Sending E-mail)
	SMB, FTP, NCP (Scan-to-Folder)
Memory Capacity	384 MB Shared
File Formats	Single Page TIFF, PDF, JPEG
	Multi Page TIFF, PDF
Standard Features	Duplex Scanning,
	Embedded Scan-to-Email/Folder

Printer Specifications

Print Speed CPU Standard Interfaces **Optional Interfaces** Memory Capacity Network Protocol

Network Operating Systems Utilities

Page Description Languages **Print Resolution** Fonts for PCL 5e/6

Fonts for PS3 Standard Features

16 ppm RM5231A 400 MHz 10Base-T/100Base-TX, USB 2.0 IEEE 1284, IEEE 802.11b, Bluetooth' 384 MB Shared TCP/IP (Ipv4, Ipv6), IPX/SPX, AppleTalk Windows® 9x/2000/NT4.0/Me/XP/ Server 2003 SmartDeviceMonitor™ Web SmartDeviceMonitor™ Web Image Monitor DeskTopBinder[™] V5 Lite RPCS[™], PCL5e/6 (Standard), Adobe® Postscript®3™ (Optional) 600 x 600 dpi, 300 x 300 dpi 35 Intelli fonts, 10 TrueType Fonts, 13 International Fonts 136 Roman Fonts Duplex Printing, Encryption/Encoding* Layout (N-Up) User Authentication*, User ID Watermarks

*RPCS and PCL only.

Fax Specifications

Circuit Compatibility Resolution **Compression Method** Scanning Speed Modem Speed Transmission Speed Memory Memory Backup Quick Dials Speed Dials Group Dials **ID Code Programming** User Function Key Standard Features

PSTN, PBX ITU-T G3 200 x 100/200/400 dpi MH, MR, MMR, JBIG 2.0 seconds (SEE) 33.6Kbps with Auto Fallback 2 seconds (IBIG) 4 MB (320 pages) 12 hours 16 (out of 150 speed dials) 150 10 (max. 100 numbers per group) 4 digits 3 keys Dual Access, 12 Hour Backup, Serial Broadcasting

Options

PS480 (500 sheets x 1) Paper Bank Paper Size 8.5" x 11" SEF, 8.5" x 14" SEF Paper Weight 16 to 24 lb. Bond 1 x 500 sheets Paper Capacity

Printer Scanner Unit Type 161

Bundled Software includes: DeskTopBinder[™] V5 Lite Adobe[®] PostScript[®]3[™] Unit Type 161

IEEE 1284 Interface Board Type A

IEEE 802.11b Interface Unit Type H

Data Transmission Speeds	1/2/5.5/11 Mbps	
Protocol	TCP/IP	
Connection Types	Ad Hoc Mode	
	Infrastructure Mode	
Distance Between Devices	151 to 1,300 feet	
	(140 to 400 meters)	

Bluetooth[™] Interface Unit Type 3245

Data Transmission Speeds 1 Mbps Windows® XP, 2000, 98, SE, Me Supported OS Distance Between Devices 33 feet (10 meters)

Handset Type 1018

RICOH www.ricoh-usa.com

n Corporation, Five Dedrick Place, West Caldwell, NJ 07006 ** and the Ricch Logo are registered trademarks of Ricch Company, Ltd. Windows* and Windows* 95/98/Me/NT4.0/2000/XP are registered trademarks of Microsoft Corporation. Macir Eall* are registered trademarks of Apple Computer, Inc. Adobe* and PostScript* are registered trademarks of Adobe Systems, Inc. PCL* is a registered trademark of HervietT-Packard Earl* are registered trademarks of an emportry of their respective owners. Printed in U.S.A. on recycled paper. Print speed may be affected by network, application fractions and external appearances are subject to Change without notice. Products are shown with optional features.

