RICOH Aficio MP 2851/MP 3351 Digital Imaging System Optimize Your Office





RICOH Aficio MP 2851/MP 3351

Designed for innovative workflow.

Today's offices understand what it takes to thrive in tough economic times. You have to accomplish more with fewer resources. Find every available way to reduce costs and optimize processes, plus ensure security and support sustainability all without sacrificing ease of use. Introducing the new RICOH® Aficio MP 2851/MP 3351. Engineered for innovation with automated and customized workflow, these systems come equipped with powerful new solutions: the Personal Paperless Document Manager (PPDM™) software and the breakthrough App2Me® portable workflow solution. That's why the Ricoh Aficio MP 2851/MP 3351 is the right choice to empower your office to handle document tasks with extraordinary speed and cost efficiency.



VersatileReliableSecureInnovative

Highly Productive Performance

The Ricoh Aficio MP 2851/MP 3351 makes it easy to create, output, finish and distribute critical documents wherever they need to go with outstanding speed and efficiency.

- Enhance productivity by printing up to 33 pages-per-minute.
- Scan color and black & white documents and distribute them at no cost with a full slate of "Scan-to" capabilities.
- Make every document look compelling with three professional finishing options, including a 1,000-Sheet Booklet Finisher with hole-punch capabilities.

Zero-Cost Document Distribution

High-performance scanning turns the Ricoh Aficio MP 2851/MP 3351 into a versatile yet incredibly inexpensive document distribution center.

- Capture reports, plans, analyses and other originals via color or black & white scanning, then share them at no cost with Scan-to-Email/Folder/URL.
- Distribute documents more efficiently by pulling recipients' e-mail addresses directly from up to five LDAP servers.
- Check scan accuracy and avoid time-consuming rescans by previewing full-color thumbnails on the control panel prior to distribution.
- Shrink file sizes on scanned color documents with High Compression PDF, without compromising final output quality.

Make Documents Work for You

Personal Paperless Document Manager (PPDM) enables users to capture, combine, convert and share the three most prominent document types: paper, PDFs and Microsoft® Office files.

- Make document distribution easy, secure and productive. Send paper and electronic files to virtually any destination, including e-mail, FTP sites, Web folders, Microsoft SharePoint and content management systems.
- Create secure, searchable PDFs from text files, spreadsheets and scanned paper.
- Transform paper originals into fully editable Microsoft Office files, PDFs and fillable forms.
- Create custom workflows. When users authenticate to the system, the interface shows only the personalized view they created at their desktop computers.


Enhance Personal Productivity App@Me

The App2Me® solution revolutionizes document management, enabling users to create customized workflows and execute them anywhere they go.

- Download widgets to any client (desktop PC, laptop or Smartphone) and use them on any Ricoh MFP enabled with App2Me.
- Enjoy maximum convenience and a consistent experience at each App2Me-enabled MFP, which remains completely personalized no matter where you go.
- Simplify complex workflows. Widgets can be created to combine, distribute, edit and create documents, as well as perform many other tasks automatically.
- Maximize productivity. App2Me improves efficiency through widgets that control a virtually endless array of MFP, software or Web services-driven workflows.
- Create specialized widgets for virtually any need, in any framework across multiple platforms that App2Me supports, such as Google Desktop™ and more.



Color scanning combined with Scan-to-URL improves project collaboration and reduces network traffic.



Personal Paperless Document Manager (PPDM) lets users create unique workflows, combine multiple files in one PDF and convert scanned files into editable Microsoft® Office documents.



Utilize time-saving and workflowenhancing widgets with any App2Me enabled Ricoh MFP.

QualityEfficiencySpeedPower

Engineered for Efficiency

Depend on the Ricoh Aficio MP 2851/MP 3351 for the capabilities you need to complete documentdriven tasks quickly, easily and cost-effectively.

- Control usage by setting print or copy quotas for up to 500 users. If the quota is exceeded, users can no longer access the device.
- Prioritize print and copy jobs with the Job Function List. Move timesensitive jobs to the top of the queue for immediate output.
- Handle documents efficiently with support for PCL (standard) or Adobe® PostScript®3™ (optional).
- Reduce network traffic with PDF Direct Print. Send PDF files directly to the printer without opening additional software.

Sophisticated Fax Capabilities

Choose the Ricoh Aficio MP 2851/MP 3351 for fast, user-friendly and innovative faxing.

- Send and receive faxes on up to three analog lines with the Super G3 modem, boosting fax capacity and significantly reducing delivery time.
- Deliver scanned documents directly to e-mail addresses with Internet Fax, which eliminates phone charges and wasted paper.
- Go completely paperless by automatically forwarding inbound faxes to e-mail addresses, network folders or the system's Hard Disk Drive (HDD).

Maintain Absolute Security

The Ricoh Aficio MP 2851/MP 3351 protects documents no matter where they are in your workflow, using a complete array of advanced security technologies.

- Restrict access to the system with password protection. Or restrict usage rights by function, reserving certain capabilities for authorized personnel only.
- Protect confidential documents from unauthorized viewing with Locked Print, which eliminates the need for costly mail boxes.
- Use the DataOverwriteSecurity System (DOSS) to secure latent images remaining on the system's HDD.

Simple, Easy Management

The Ricoh Aficio MP 2851/MP 3351 is designed to simplify a wide range of administrative tasks, including system management, device monitoring and troubleshooting.

- Access system settings, address books and more from your Web browser.
- Configure, monitor and manage your whole fleet of connected Ricoh devices right from your desktop.
- Generate alerts for low supplies or error detection with Auto E-Mail Notification.
- Automate meter submission, critical service event notification, low toner alerts and enable remote firmware updates with embedded @Remote™.




The Total Green Office Solution





Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

Equip Your Office for High Productivity



External Keyboard (option)



The optional keyboard provides an alternate way to enter data at the device.*

Document Server



Store up to 3,000 frequently used documents in the Document Server for instant reprinting, refaxing or scanning.

RICOH Aficio MP 2851/MP 3351

Specifications

Engine/Copier Specifications

Scanning Element Flatbed with Moving CCD Array Image Sensor Printing Process Single Laser Beam Scanning & Electrophotographic Printing Toner Dry, Dual Component 768/768 MB RAM

System Memory (std./max.)

Hard Disk Drive 40 GB standard Copy Resolution 600 x 600 dpi Grayscale 256 levels Exposure Adjustment Manual & Automatic Up to 999 Quantity Indicator Original Type Book/Sheet/Object

Maximum Original Size Up to 11" x 17"

Copy Size 5.5" x 8.5" to 11" x 17" Copy Size Plain Paper, Transparencies, Copy Type Letterhead, Pre-Punched Paper, Envelopes, Cardstock, Recycled 22 seconds

Warm-Up Time First Copy Speed

4.5 seconds MP 2851: 28 copies/minute (LTR) MP 3351: 33 copies/minute (LTR) **Continuous Copying** Speed 120V/60Hz/12A Power Source Dimensions 24.8"(W) x 25.7"(D) x 27.9"(H) 143 lbs.

Weight Standard Paper Capacity

100-Sheet Bypass Tray Optional Paper 500 sheets x 2 trays or 2,000-Sheet Large Capacity Tray Capacity Paper Size 5.5" x 8.5" to 11" x 17

A5 to A3

16 – 28 lb. Bond/60 – 105g/m² (Tray 1 Paper Weight

and Duplex)

14 - 42 lb. Bond/52 - 157g/m2 (Tray 2 and Bypass)

500 sheets x 2 trays, and

Standard Output Tray Capacity Reduction Ratios

500 sheets (Letter) 250 sheets (Legal, Ledger) 25%, 50%, 65%, 73%, 78%, 85%,

93%, 100%

Enlargement Ratios Standard Features

121%, 129%, 155%, 200%, 400% 25% to 400% in 1% increments Auto Magnification, Auto Paper Select, Auto Tray Switch, Background Numbering, Booklet/Magazine Copy, Center/Border Erase, Chapters, Combine Mode, Cover Insertion, Date Stamp, Directional Magnification, Document Server (3,000 file capacity), Duplex, Electronic/Rotate Sorting, Full-Color VGA Touch Screen Control Panel, Negative/Positive, OHP Slip Sheet, Page Number Stamp, Pre-Set Stamps, 10 Job Programs, 500 User Codes, 8 Job Presets, Sample Copy, Series Copy, User Stamps

Printer Specifications (Standard)

Print Speed MP 2851: 28 ppm (LTR) MP 3351: 33 ppm (LTR) RM7035C 533 MHz Standard Interfaces 10Base-T/100BaseTX Ethernet, USB 2.0

IEEE 802.11a/b/g Wireless LAN, Bluetooth, IEEE 1284 Parallel. **Optional Interfaces** Gigabit Ethernet

Memory Capacity Network Protocol Network Operating Systems

Shared with Copier TCP/IP, IPX/SPX, AppleTalk Windows Vista/2000/XP/Server 2003/Server 2008, Netware 3.12, 3.2, 4.1, 4.11, 5.0, 5.1, 6.0, 6.5, Unix; Sun Solaris, HP-UX, SCO OpenServer, Red Hat Linux, IBM AIX, Mac OS 8.6 -9.2x, OS X 10.1 or later, SAP R/3, NDPS Gateway, IBM iSeries/AS/400^e using OS/400 Host Print Transform,

Citrix Metaframe Utilities SmartDeviceMonitor, Web SmartDeviceMonitor, Web Image Monitor PCL5e/6 (standard), Adobe Page Description Languages PostScript 3 (optional) Print Resolution Up to 600 dpi

Grayscale 256 levels Fonts for PCL5e/6 35 Intellifonts, 10 TrueType

and 13 International Fonts Fonts for PS3 136 PostScript Fonts Sample/Locked/Hold/Stored Print Standard Features

Scanner Specifications (Standard)

Embedded Scanning: 50/29 ipm Scanning Speed B&W/Color (@ 200 dpi)

Scanning Resolution 600 dpi Grayscale 256 levels Up to 11" x 17" 10Base-T/100BaseTX Ethernet Scan Area

Standard Interfaces IEEE 802.11a/b/g Wireless LAN, Optional Interfaces

Gigabit Ethernet

TCP/IP, NCP, SMB, SMTP, POP 3, Protocol

LDAP, FTP

Memory Capacity File Types

Shared with Copier Single and Multi-Page TIFF/PDF, High Compression PDF, Single-Page JPEG Standard Features Embedded Scan-to-Email/HDD/Folder/ URL and TWAIN, Color Scan

Fax Specifications (Option)

PSTN, PBX Circuit Compatibility Resolution 200 x 200/100 dpi

400 x 400 dpi (optional) Compression Method MH, MR, MMR, JBIG 0.40 seconds (LEF) Scanning Speed Modem Speed 33.6 Kbps with Auto Fallback G3: 3 seconds per page Transmission Speed

(MMR Compression) G3: 2 seconds per page (IBIG Compression)

4 MB standard/28 MB maximum Memory 320 pages/2,240 pages

Std/Max Auto Dials 2.000

Group Dials

ID Code Programming 100 (max. 500 numbers per group) 4 digits

User Function Key 3 keys

Optional Features

Standard Features Book Transmission, Dual Access, Duplex Reception, Image Rotation 1 Hour Backup, LAN-Fax Capability, Internet Faxing (T.37), IP Faxing (T.38), Fax Forwarding to E-Mail/HDD/Folder

Simultaneous Operation of up to 3 lines (G3 x 3)

Security Features (Standard)

S/MIME, IPsec Communication, Locked Print Password Encryption, Encrypt Address Book, SSL, User Authentication, SNMP v3 and PDF encryption

PB3030 Paper Bank Unit (Option)

Paper Size 5.5" x 8.5" to 11" x 17"

Paper Weight 16 to 28 lb. Bond/60 to 105g/m² 2 x 500 sheets

Paper Capacity 21.7"(W) x 20.5"(D) x 10.7"(H) Dimensions

PS500 Large Capacity Tray (Option)

Paper Size 8.5" x 11"/A4

Paper Weight 16 to 28 lb. Bond/60 to 105g/m² Paper Capacity 2 000 sheets x 1 21.7"(W) x 20.5"(D) x 10.7"(H) Dimensions

One-Bin Tray BN3030 (Option)

5.5" x 8.5" to 11" x 17"/A5 to A3 Paper Size 16 to 28 lb. Bond/60 to 105g/m² Paper Weight

Paper Capacity 125 sheets

SR3050 500-Sheet Finisher (Option)

Paper Size 5.5" x 8.5" to 11" x 17"/A6 to A3 Paper Weight 14 to 42 lb. Bond/52 to 157g/m² Stack Capacity

Shift Tray: 500 sheets (8.5" x 11" or smaller) 250 sheets (8.5" x 14" or larger) 50 sheets (8.5" x 14" or larger) 30 sheets (8.5" x 14" or larger) Staple Capacity

Staple Position 1 staple/4 positions; 2 staples/1 position

15.6"(W) x 21.7"(D) x 10.9"(H) Dimensions

SR790 1,000-Sheet Finisher (Option)

5.5" x 8.5" to 11" x 17"/A6 to A3 Paper Size Paper Weight 14 to 42 lb. Bond/52 to 157g/m² Stack Capacity

Proof Tray: 250 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger) Shift Tray: 1,000 sheets (8.5" x 11" or smaller)

500 sheets (8.5" x 14" or larger) 50 sheets (8.5" x 11") 30 sheets (8.5" x 14" or larger)

Staple Position 1 staple/2 positions; 2 staples/1 position

Dimensions 10.7 "(W) x 20.5 "(D) x 31.2 "(H)

SR3000 Booklet Finisher (Option)

Staple Capacity

Stack Capacity

5.5" x 8.5" to 11" x 17"/A6 to A3 Paper Size Paper Weight 14 to 28 lb. Bond/52 to 105g/m (Proof Tray); 14 to 68 lb. Bond/

52 to 256g/m² (Shift Tray) Proof Tray: 100 sheets (8.5" x 11" or smaller) 50 sheets (8.5" x 14" or larger)

Shift Tray: 1,000 sheets (8.5" x 11" or smaller) 500 sheets (8.5" x 14" or larger)

50 sheets (8.5" x 11") 30 sheets (8.5" x 14" or larger) Staple Capacity

Staple Position 1 staple/2 positions; 2 staples/1 position

21 1"(W) x 23 7"(D) x 36 7"(H) Dimensions Punch Unit (Option) 2 or 3 hole punch

ARDF DF3030 (Option)

5.5" x 8.5" to 11" x 17" Paper Size Paper Weight 11 to 34 lb. Bond/40 to 128g/m² Stack Capacity 50 sheets

Dimensions 21.7"(W) x 19.3"(D) x 4.7"(H)

Additional Options

Platen Cover Type 3800C, FAC38 Cabinet, Fax Type 3351, G3 Interface Type 3350, 32 MB Fax Memory Unit Type B, Handset Type 1018, IEEE 1284 Parallel Interface Board Type A, IEEE 802.11a/b/g Wireless Interface Unit Type J, Adobe PostScript 3 Type 3350, Bridge Unit Type BU3020, Internal Shift Sort Tray Type SH3010, Key Counter Bracket Type H, File Format Converter Type E, DataOverwiteSecurity Unit Type J, Bluetooth Interface Unit Type 3245, Punch Kit PU3000, Optional Counter Interface Unit Type A, 3L68-19 USB External Keyboard, HDD Encryption Type A, Hardware 4 Pack Bundle of PPDM, Gigabit Ethernet Board Type A

Note: Some accessories require additional equipment or may be prerequisites for other options.









@Remote WiFi



