

Ricoh Aficio SP C821DN
Color Laser Printer
A Smart Solution for High-End Color

RICOH

versatile



vivid



powerful



Ricoh Aficio SP C821DN Series Color Laser Printer

Unleash Your In-house Capabilities

The fast and flexible RICOH® Aficio® SP C821DN Series Color Laser Printer delivers exactly what marketing departments, advertising agencies and other graphics-intensive environments need to produce more full-color documents in-house and find smarter, more effective ways to handle color workloads. This versatile system prints anything and everything: pre-proofs, comps, presentations, booklets, brochures, expense reports, forms, and more. Its superior speed lets you pick up the pace, while its outstanding color quality ensures attention-grabbing output. Bottom line: the Ricoh Aficio SP C821DN Series puts the power back in your hands, enabling you to maintain complete control over image quality, turnaround time, operating costs and productivity.



SpeedProductivityColorControl

Astonishing Full-Color Results

Expect amazing results from the Ricoh Aficio SP C821DN Series. Its multi-bit printer engine uses true laser technology to easily outperform competitive systems.

- Achieve maximum clarity and sharpness for photographic-quality prints and smoother gradations. This printer offers true 1200 x 1200 dpi resolution which many other printers in this class simply can't match.
- Choose the right resolution for any color document. With 4-bit color and interpolated resolution up to 9600 x 600 dpi, it is easy to optimize color quality for shadow detail and skin tones.
- Print sharp, crisp photographic-quality documents quickly and easily with Glossy Mode.
- Emulate the look of output from other devices, including offset printers and popular laser printers. Plus, support for PANTONE®, ColorSync, ICM and custom ICC profiles provides even more control over your prints.
- Sharpen images with new PxP™ toner. Its wider color gamut and smaller particles enable the Ricoh Aficio SP C821DN Series to capture subtle changes in color and tone.



Print everything you see here and much more. Media flexibility lets you keep a much wider range of jobs in-house.

Increase Speed and Performance

The Ricoh Aficio SP C821DN Series uses a powerful combination of print speed, faster processing and enhanced memory to set a new standard for full-color productivity.

- Create reports, plans, presentations, brochures, and more with 50 pages-per-minute speed for full-color, black & white or mixed output.
- Handle larger file sizes, complex applications, specialized fonts and other graphics-intensive demands with a high-performance 1 GHz Intel Celeron® Controller.
- Enable instant reprints and other convenient print-on-demand capabilities while increasing font storage space with a standard 80 GB Hard Disk Drive (HDD).
- Minimize waiting with a first color print time of eight seconds, or seven seconds for black & white. Warm-up time is less than a minute.
- Let everyone share a single device without constantly reloading paper. This printer holds up to 3,200 sheets for demanding workloads.
- Reduce the risk of misplaced output. The 4-Bin Mailbox provides shared access to the printer while keeping documents separate.



Take full advantage of available print settings with an intuitive graphical user interface for the PostScript® driver.

More Media Choices

Outstanding media flexibility enables you to keep a wider variety of jobs in-house and express your creativity without limits.

- Print postcards, direct mail and other documents on heavy stock. All paper trays accept weights up to 140 lb. Index in simplex mode and 90 lb. Index in duplex mode.
- Print packaging comps and proof sheets up to 11" x 17". For full-bleed 11" x 17" proofs, use the Bypass Tray, which prints sizes up to 12" x 18".
- Energize event promotions with full-color banners. The Ricoh Aficio SP C821DN Series can print banners 12" wide and up to 49.6" long.
- Reduce the risk of errors and reprints with a convenient driver that lets users select the correct paper weight for any job.



The Ricoh Aficio SP C821DN Series delivers true 1200 x 1200 dpi resolution for exceptional sharpness, clarity and color quality.

Versatility Efficiency Quality Finishing

Powerful In-Line Finishing

Professional-grade finishing options exponentially increase the number of documents you can print in-house for much less than the cost of outsourcing.

- Produce high-impact, full-color training, education and marketing materials with folding and saddle-stitching using the 1,000-Sheet Booklet Finisher.
- Staple reports, plans and proposals with the 3,000-Sheet Finisher. Add the Hole Punch Unit so output can be inserted directly into three-ring binders.
- Align finished documents for easy pick-up with the optional Output Jogger Unit, which can be added to the 3,000-Sheet Finisher.

Improve Security and Management

Sophisticated security features provide a multi-layered defense for sensitive documents, while device management tools streamline administrative tasks.

- Ensure accountability for every color page you print. Precise job tracking supports accurate chargeback and billing.
- Protect confidential documents even if the hard drive is stolen with the optional DataOverwriteSecurity System (DOSS). It overwrites latent data on the hard drive after every job.
- Strengthen information security with an HDD encryption option that makes it virtually impossible for hackers to gain access to stored files.
- Make printer management much more convenient with instant e-mail alerts for administrators when the printer runs low on supplies or an error occurs.
- Produce detailed activity reports and submit meter reads automatically with @Remote Intelligent Remote Management System.

Durable, Dependable, Reliable

Engineered to handle demanding workloads in graphics-intensive offices, the Ricoh Aficio SP C821DN Series offers long-lasting reliability and low total cost of ownership (TCO).

- Get unbeatable value from this printer's combination of competitive pricing and low operating costs.
- Ensure smooth connectivity with a long list of standard and optional interfaces.
- Expect reliable, repeatable quality, day after day. This printer's monthly duty cycle outlasts competitive devices.
- Reduce interruptions with a shorter, soft curve paper path that can handle heavy stocks with ease and makes it simple for users to remove misfeeds.
- Minimize interruptions with long-lasting, high-yield consumables.



The Total Green Office Solution



Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity.

PowerChoiceValueConvenience

4-Bin Mailbox (Optional)

Keep documents from multiple users separate with the 4-Bin Mailbox.

Output Jogger Unit (Optional)

Available with the 3,000-Sheet Finisher, the Output Jogger Unit offsets finished documents for fast and easy retrieval.

1,000-Sheet Booklet Finisher (Optional)

Produce full-color booklets cost-effectively with the in-line Booklet Finisher.

3,000-Sheet Finisher (Optional)

Take advantage of high-volume, professional-quality, multi-position stapling with the 3,000-Sheet Finisher. Add the optional Hole Punch Unit for even more flexibility.

Paper Feed Units (Optional)

Add up to 1,100 sheets with one or two optional 550-Sheet Paper Feed Units.



Automatic Duplexing (Standard)

Save paper and filing space with standard automatic duplexing that runs at virtually the same speed as one-sided output.

Heavy Media Support

The Ricoh Aficio SP C821DN Series accepts heavy media (up to 68 lb. Bond/140 lb. Index) to give you many more options for in-house production.

Easy Maintenance

Maximize productivity with supplies that are easy for any user to replace.

Paper Trays (Standard)

Load up to 1,200 sheets with two standard 550-Sheet Paper Trays and a 100-Sheet Bypass Tray.





Large Capacity Tray (Optional)

Maximize total paper capacity with the 2,000-Sheet Large Capacity Tray.

Broad Compatibility

Quickly integrate the Ricoh Aficio SP C821DN Series with built-in compatibility for PC and Macintosh network environments.

Ricoh Aficio SP C821DN Series Configurations

	 SP C821DN Shown with optional FAC33 Cabinet Stand.	 SP C821DNT1 Shown with optional FAC35 Stand.	 SP C821DNX Shown with 2 x 550-Sheet Paper Feed Units.	 SP C821DNLC Shown with Large Capacity Tray.
CPU	1 GHz			
RAM	512 MB	512 MB	1024 MB	768 MB
HDD	80 GB (standard)			
Standard Connectivity	10/100Base-TX Ethernet, USB 2.0, USB Host Interface			
Optional Connectivity (Select One)	Gigabit Ethernet, IEEE 802.11a/b/g Wireless LAN, Bluetooth Wireless, IEEE 1284 Parallel			
Duplexing	Standard			
Standard Paper Supply	2 x 550-Sheet Tray + 100-Sheet Bypass Tray = 1,200 sheets (3 sources)	3 x 550-Sheet Tray + 100-Sheet Bypass Tray = 1,750 sheets (4 sources)	4 x 550-Sheet Tray + 100-Sheet Bypass Tray = 2,300 sheets (5 sources)	2 x 550-Sheet Tray + 100-Sheet Bypass Tray + 2,000-Sheet LCT = 3,200 sheets (4 sources)
Finishing Options*	3,000-Sheet Finisher or 1,000-Sheet Booklet Finisher and/or 4-Bin Mailbox**			

*May require configuration with a cabinet or paper supply option. Bridge Unit required for the installation of both Finishers.

**4-Bin Mailbox can only be configured with the SP C821DNX or SP C821DNLC configurations.)

Ricoh Aficio SP C821DN Series Specifications

Mainframe EDP Codes

Aficio SP C821DN	406553
Aficio SP C821DNT1	406554
Aficio SP C821DNX	406555
Aficio SP C821DNLC	406556

Engine Specifications

Configuration Technology Desktop
Laser-beam scanning & electrophotographic printing with dual component toner development, 4-drum tandem method

Printing Speed 50-ppm black & white and full-color
Warm-Up Time 50 seconds
First Print Speed Black & white: 7 seconds or less
Full-color: 8 seconds or less
Duplex Print Speed Near 100% productivity for all paper sizes

Print Resolution 600 x 600-dpi (1-bit)
600 x 600-dpi (2-bit) (Default)
600 x 600-dpi (4-bit)
1200 x 1200 dpi (1-bit)

Standard Input Capacity
SP C821DN (Base): 2 x 550 sheets + 100-Sheet Bypass Tray*
SP C821DNT1*: 3 x 550 sheets + 100-Sheet Bypass Tray
SP C821DNX: 4 x 550 sheets + 100-Sheet Bypass Tray
SP C821DNLC: 2 x 550 sheets + 2,000 sheet LCT + 100-Sheet Bypass Tray (Maximum 3,200 Sheets)

*Can be configured with 550 x 1 Paper Feed Unit; 550 x 2 Paper Feed Unit, Large Capacity Tray or FAC33 Large Cabinet Stand.

**Can be configured with 550 x 2 Paper Feed Unit or FAC35 Stand.

Output Capacity
Standard: 500 sheets face down
Optional: 3,000-Sheet Finisher, 1,000-Sheet Booklet Finisher or 4-Bin Mailbox
Maximum: 4,000-sheet stack capacity (with 3,000-Sheet Finisher and 4-Bin Mailbox)

Paper Sizes
First Paper Tray: 8.5" x 11"
Second Paper Tray: 7.17" x 5.83" – 11" x 17"
Bypass Tray: Width: 3.5" – 12", Length: 5.8" x 47.6"
Optional Large Capacity Tray: 8.5" x 11"
Optional Paper Feed Units: 7.17" x 5.83" – 11" x 17"

Paper Weights
Standard & Optional Paper Feed Units, Large Capacity Tray: 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)
Bypass Tray: 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²) (Source for Labels, OHP, and Envelopes)
Duplex Unit: 16 – 45 lb. Bond/90 lb. Index (60 – 169 g/m²)

Paper Types
Bond, Plain, Recycled, Preprinted, Special, Color, Letterhead, Card Stock, Glossy, Coated, Labels, OHPs and Envelopes
Standard
Auto Duplex
Dimensions (WxDxH) (Base Model) 26.4" x 26.4" x 25.2" (670 x 670 x 640 mm) (Standard Configuration)
Weight (Base Model) Less than 213 lb. (97 kg)
Power Requirements 120V, 60Hz
Operating Power Consumption 992W
Maximum Power Consumption 1440W
Energy Saver 2.2W

Printer Controller Specifications (Standard)

CPU Intel Celeron M @ 1GHz
Memory SP C821DN, SP C821DNT1: Standard 512 MB RAM/Maximum 1 GB RAM
SP C821DNLC: Standard 768 MB RAM/Maximum 1 GB RAM
SP C821DNX: Standard/Maximum 1 GB RAM

Hard Disk Drive 80 GB HDD Standard on all models
Printer Languages PCL 5c, PCL 6, RPCS, Adobe® PostScript® 3[®], PDF Direct Print
Fonts Standard: 45 PCL fonts, 13 International fonts, 136 PostScript 3 fonts
Optional: OCR and Barcode fonts available

Standard Interfaces 10/100Base-TX Ethernet (RJ-45), USB 2.0, USB Host I/F

Optional Interfaces* IEEE 1284 Interface Board Type A – Part # 411699
IEEE 802.11a/b/g Wireless LAN Type J – Part #414008
Bluetooth Wireless Interface Type 3245 – Part # 412866
Gigabit Ethernet Board Type B – Part # 414204

*Only one additional interface can be installed.

Network Protocols Standard: TCP/IP (IPv4, IPv6), SMB, AppleTalk
Optional: IPX/SPX

Operating Systems Windows 2000/XP/Server 2003/Server 2008*/Vista; Novell NetWare 3.12, 3.24.1, 4.11, 5.0, 5.1, 6, 6.5;
UNIX (using Ricoh UNIX filter Phase 11): Sun Solaris, HP-UX, SCO OpenServer, RedHat Linux, and IBM AIX; Citrix Metaframe, Mac OS 8.6 – 9.2x, OS X 10.1 or later; SAP R/3 3.x or later
Drivers RPCS, PCL5c, PCL6: Windows 2000/XP/Server 2003/Vista/Server 2008 XPS: Windows Vista/Server 2008 PostScript: Windows 2000/XP/Server 2003/Vista/Server 2008, Macintosh 8.6 or later, OS X (v. 10.1, 10.2, 10.3)
Utilities SmartDeviceMonitor for Admin and Client; Web SmartDeviceMonitor (Optional); Web Image Monitor; DeskTopBinder V2 Lite; Print Utility for Mac; Agfa Font Manager 2000

Controller Options

Camera Direct Print Card Type F – Part # 403108: Enables direct printing from a PictBridge™ enabled digital camera, without a PC.
VM Card Type K for ESA™ – Part # 406535

BB-HPL10A-R HD-PCL Ethernet Adaptor – Part # 100123FNG
Network Card Type A – Part # 403114

Memory Options
Memory Unit Type J 256 MB RAM – Part # 004166MIU
Memory Unit Type J 512 MB RAM – Part # 004165MIU

Security Features

DataOverwriteSecurity System Type M (Optional) – Part # 406495: Security feature that overwrites latent data on the system's hard drive after scan and print jobs
HDD Encryption Unit Type D (Optional) – Part # 403113: Encrypts data on HDD, so data is secure even if HDD is stolen
Other Security Features
Network: Protocols ON/OFF, Administrator Authentication, Job Log/Job Access, IP Address Filtering, User Account Registration, User Authentication, Wi-Fi Protect Access (WPA), Kerberos, 802.1X Wired Authentication, 128-bit Secure Socket Layer, SNMP v3 Encryption, IPsec Communication, Locked Print Password Encryption, Unauthorized Copy Control and Mask Type for Copying

Hardware Accessories

Two-Tray Paper Feed Unit (PB3040) – Part # 415002
Paper Capacity 1,100 sheets (550 x 2)
Paper Sizes 7.17" x 5.83" – 11" x 17"
Paper Weights 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)

One-Tray Paper Feed Unit (PB3080) – Part # 414720
Paper Capacity 550 sheets (550 x 1)
Paper Sizes 7.17" x 5.83" – 11" x 17"
Paper Weights 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)

Large Capacity Tray (LCT) (PB3050) – Part # 415003
Paper Capacity 2,000 sheets (1,000 x 2)
Paper Sizes 8.5" x 11" LEF
Paper Weights 16 – 68 lb. Bond/140 lb. Index (60 – 256 g/m²)

FAC33 Cabinet Stand (Large) – Part # 413762
Note: The Cabinet Stand or a paper supply option must be selected for Base Model installation when the printer is to be configured with a Finisher.
FAC35 Stand (Small) – Part # 402849

Note: The Stand must be selected for the SP C821DNT1 installation when the printer is to be configured with a Finisher.

3,000-Sheet Finisher (SR3030)* – Part # 413325
Paper Sizes 5.5" x 8.5" – 11" x 17", 12" x 18"
Paper Weights Proof Tray: 14 – 43 lb. Bond/90 lb. Index (52 – 163 g/m²); Shift Tray: 14 – 68 lb. Bond/140 lb. Index (52 – 256 g/m²)

Stack Capacity Stack Capacity Proof Tray: 250 sheets (8.5" x 11" or smaller), 50 sheets (8.5" x 14" or larger); Shift Tray: 3,000 sheets (8.5" x 11" LEF), 1,500 sheets (8.5" x 11" SEF, 8.5" x 14", 11" x 17", 12" x 18"), 100 sheets (5.5" x 8.5")
Staple Capacity 50 sheets (8.5" x 11" SEF), 30 sheets (8.5" x 14" or larger, 8.5" x 11" LEF)
Staple Paper Sizes 8.5" x 11" – 11" x 17"
Staple Paper Weights 17 – 24 lb. Bond (64 – 90 g/m²)
Staple Positions 1 staple/3 positions; 2 staples/1 position

SR3030 Finisher Options
2/3-Hole Punch Unit Type 3260 – Part # 412209
Jogger Unit Type 3260 – Part # 412212
*Requires Bridge Unit BU3030 – Part # 414175

1,000-Sheet Booklet Finisher (SR3000)* – Part # 412851
Paper Sizes 5.5" x 8.5" – 11" x 17", 12" x 18"
Paper Weights Upper Proof Tray: 14 – 28 lb. Bond (52 – 105 g/m²); Shift Tray: 14 – 68 lb. Bond/140 lb. Index (52 – 256 g/m²)
Upper Proof Tray: 100 sheets (8.5" x 11" or smaller), 50 sheets (8.5" x 14" or larger); Shift Tray: 1,000 sheets (8.5" x 11"), 500 sheets (8.5" x 14" or larger, 8.5" x 11" LEF), 100 sheets (5.5" x 8.5"); Booklet Tray: 20 sets (2 – 5 sheets/set, all sizes, saddle-stitched) or 10 sets (6 – 10 sheets/set, all sizes, saddle-stitched)

Stack Capacity 50 sheets (8.5" x 11" or smaller), 30 sheets (8.5" x 14" or larger)
Staple Capacity Saddle Stitch 10 sheets (up to 40 pages)
Staple Paper Sizes 8.5" x 11" to 11" x 17" (Normal Staple)
8.5" x 11", 8.5" x 14", 11" x 17" (Saddle Stitch)
Staple Paper Weights 17 – 24 lb. Bond (64 – 90 g/m²)
Staple Positions 1 staple/2 positions; 2 staples/1 position

SR3000 Finisher Options
2/3-Hole Punch Unit Type PU3000 – Part # 412855
*Requires Bridge Unit BU3030 – Part # 414175
4-Bin Mailbox Type C820* – Part # 406409
Number of Bins 4
Capacity Per Bin 125 sheets
Paper Size 5.5" x 8.5" to 11" x 17"
Paper Weight 16 – 34 lb. Bond (60 – 128 g/m²)
*Can be installed simultaneously with both the 1,000-Sheet Booklet Finisher and 3,000-Sheet Finisher.
Must be installed with either the PB3040 (SP C821DNX) or the PB3050 LCT (SP C821DNLC).

Supplies

Consumables	Part #	Yield
Black Toner ¹	821026	20,000 pages @ 5%
Yellow Toner ¹	821027	15,000 pages @ 5%
Magenta Toner ¹	821028	15,000 pages @ 5%
Cyan Toner ¹	821029	15,000 pages @ 5%
Photoconductor Unit Black	403115	40,000 pages
Photoconductor Unit ² Color	403116	40,000 pages
Waste Toner Bottle	402716	40,000 pages
Intermediate Transfer Unit ³	403117	160,000 pages
Fusing Unit ³	403118	120,000 pages

¹Based on A4 letter 5% test chart; 3 pages/job; Cyan, Magenta and Yellow (color printing only).
²Based on A4 letter 5% test chart; 3 pages/job; Color Drum Unit (color printing only).
³Based on A4 letter 5% test chart; 3 pages/job.

SP C821DN, SP C821DNT1, SP C821DNX, and SP C821DNLC ship with starter toner cartridges that yield 10,000 pages for Black and 8,000 pages for each Color @ 5% coverage.
For maximum performance and yield, we recommend using genuine Ricoh parts and supplies.
Specifications subject to change without notice.

PANTONE® Support
PANTONE Profiles and Look-up Tables will be available in Summer, 2009.

Warranty
The Ricoh Aficio SP C821DN Series is under warranty against defects for a period of one year from the date of purchase. Consumables are under warranty for a period of 90 days from the date of purchase or until depleted, whichever ever comes first. Please refer to warranty document shipped with the product for more details.

www.ricoh-usa.com

Bringing Ricoh Value to Your Organization
Ricoch technology offers a diverse portfolio of solutions to help your organization stay competitive and move ahead. Let Ricoh show you how to empower your business to improve critical processes, keep information secure, ensure compliance and promote environmental sustainability while reducing the total cost of ownership.

Ricoh Americas Corporation, Five Dedrick Place, West Caldwell, NJ 07006
Ricoch and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional features.

